

Poly & Stainless Steel V-Box Spreader

**2 YD.
CAPACITY**



Ideal for commercial applications. All V-box Spreaders are completely self contained. The rugged molded double wall design allows for use with salt, sand and other materials. Mounts easily on pickup, dump, and platform trucks with no drilling. Powered by 10.5 Hp Briggs & Stratton Intek engine completely protected by a stainless steel hinged hood, equipped with alternator, electric start, electric throttle, electric clutch, controlled by in cab controls. Top screen, inverted V, tie down straps and battery are included.

***8' Spreader** Body side length 8 ft., overall length 116", capacity struck 1.9 Cu.Yds., capacity rounded 2.2 Cu.Yds., width 47", height 35.5", empty weight 830 lbs. Standard length chute is 23" long. Recommended use, 3/4 or 1 ton trucks.

*** Optional Equipment:** 35" Extended chute, vibrator kit, tarp kit, utility light.

\$3,695.00

1-877-Angelo-2
1-877-264-3562

Salt Spreaders shipped FOB Wixom, MI

Pre-Wetting Systems Available!
See Page 10.

BUYERS POLY & STAINLESS STEEL V-BOX SPREADERS			
PART NUMBER	DESCRIPTION	MSRP	SALE PRICE
Z100302	POLY & STAINLESS V-BOX SPREADER 8'	\$4803.50	\$3695.00
OPTIONAL EQUIPMENT			
Z101951	EXTENDED CHUTE UPGRADE WITH THE PURCHASE OF A SPREADER	\$259.94	\$199.95
Z100415	TAILGATE LATCH KIT, FOR DUMP TRUCKS	\$168.94	\$129.95
Z100227	TARP KIT, 8' X 47"	\$122.16	\$93.95
Z100338	VIBRATOR KIT, 80 LB.	\$181.94	\$139.95
Z100412	VIBRATOR KIT, 200 LB.	\$194.94	\$149.95
Z100314	WIRE EXTENSION, 6' - EXTENDED CAB TRUCKS	\$153.34	\$117.95
Z100084	UTILITY LIGHT	\$9.04	\$6.95
	12 OR MORE	\$7.09	\$5.45
Z102310	UTILITY LIGHT KIT - INCLUDES (2) UTILITY LIGHTS, (1) PIGTAIL ASSY, (1) FUSE HOLDER, (1) FUSE, (35) FT OF WIRE & (1) HARDWARE BAG	\$90.94	\$69.95
Z102308	LED THIRD BRAKE LIGHT	\$33.74	\$25.95
Z102291	12-VOLT LIQUID SPRAY SYSTEM, 30 GALLON POLY RESERVOIR	\$1299.94	\$999.95



Trade names Meyer, Western, etc. used in this catalog are for reference purposes only. Angelo's Supplies, Inc. does not imply that the products listed are produced by these manufacturers. Prices subject to change without notice. All sales are final on electrical items. All authorized returns are subject to a 15% restocking fee. All special order items must be prepaid and sales are final; no returns or exchanges will be permitted.

**3, 4 & 4 1/2 Yard
Capacity Stainless Steel
V-Box Spreader**

**3, 4 & 4 1/2
YD. CAPACITY**



Fax Orders: 248-442-8327

Heavy duty municipal & commercial applications. Self contained hopper. Spreads free flowing materials, sand and/or salt. Spread width of 4 ft. to 30 ft.

* **Material hopper** - 12 gauge 304 stainless steel, with continuously welded seams. Hopper sides are formed with a continuous "j" channel profile for added rigidity and strength. Six 12 gauge body gussets. Optimum material feed is maintained by hopper side walls sloped at 45 degrees. Heavy duty 4 section hinged top screen is standard. Bars are 1/4" diameter located on 3" centers. Built in four corner lift points.

* **Conveyor** - 12-1/2" wide, all steel pintle chain type with 1/4" x 1" crossbars on 4-5/8" centers. Replaceable 10 gauge stainless steel chain shields. Replaceable 10 gauge stainless steel conveyor floor. 10 Gauge stainless steel inverted "v". Driven by 20:1 ratio worm gearbox. Adjustable conveyor chain.

* **Spinner chute assembly** - two adjustable internal baffles. Four external baffles (3 adjustable, 1 fixed). 18" Polyurethane spinner disk. Hydraulic models chute utilizes 4 spring loaded stainless steel quick detach pins for ease of material unloading, tow hitch access, and storage. Bolt on spinner housing minimizes replacement cost.

* **Power source** - hydraulic drive: two independent hydraulic motors (15 gpm @ 1500psi). Gas engine: 10.5 Hp Briggs & Stratton Intek. 4.5 Cu. Yd. - overall length, 120"; width, 70"; height, 45"; weight, 1560 lbs.; Capacity struck, 4.5 Cu. Yd.; Recommended use, dump bodies, flat beds with GVW chassis of 15,000 to 26,000 lbs.

* **3 Cu. Yd.** - Overall Length, 96"; Width, 70"; Height 45".

* **4 Cu. Yd.** - Overall Length, 108"; Width, 70"; Height 45".

* **4.5 Cu. Yd.** - Overall Length, 120"; Width, 70"; Height 45".

Phone Orders: 1.800.Angelo.2 (1.800.264.3562)

**Starting at
\$5,095.00**

To order call toll free

1-877-Angelo-2

1-877-264-3562

Salt Spreaders shipped FOB Wixom, MI



LARGE STAINLESS STEEL V-BOX SPREADERS

PART NUMBER	DESCRIPTION	MSRP	SALE PRICE
Z105984	3.0 CU. YD. HYDRAULIC SPREADER	\$6623.50	\$5095.00
Z105983	3.0 C U. YD. GAS ENGINE SPREADER	\$6883.50	\$5295.00
Z102324	4.0 CU. YD. HYDRAULIC SPREADER	\$7923.50	\$6095.00
Z102323	4.0 CU. YD. GAS ENGINE SPREADER	\$8118.50	\$6245.00
Z100305	4.5 CU. YD. HYDRAULIC SPREADER	\$8378.50	\$6445.00
Z100304	4.5 CU. YD. GAS ENGINE SPREADER	\$8573.50	\$6595.00

OPTIONAL EQUIPMENT

Z100638	12 VOLT LIQUID SPRAY SYSTEM	\$1481.94	\$1139.95
Z100415	TAILGATE LATCH KIT, FOR DUMP TRUCKS	\$168.94	\$129.95
Z100639	DOT LIGHT BAR 66" (LIGHTS & WIRE NOT INCLUDED)	\$250.84	\$192.95
Z102290	DOT LIGHT BAR 44" (LIGHTS & WIRE NOT INCLUDED)	\$207.94	\$159.95
Z100338	VIBRATOR KIT, 80 LB.	\$181.94	\$139.95
Z100412	VIBRATOR KIT, 200 LB.	\$194.94	\$149.95
Z102258	VIBRATOR KIT, 400 LB.	\$415.94	\$319.95
Z100084	UTILITY LIGHT	\$9.04	\$6.95
	12 OR MORE	\$7.09	\$5.45
Z102310	UTILITY LIGHT KIT - INCLUDES (2) UTILITY LIGHTS, (1) PIGTAIL ASSY, (1) FUSE HOLDER, (1) FUSE, (35) FT OF WIRE & (1) HARDWARE BAG	\$90.94	\$69.95
Z102308	LED THIRD BRAKE LIGHT	\$33.74	\$25.95
Z102252	LIGHT BAR WIRE HARNESS, 12 FT LEAD	\$107.19	\$82.45
Z100638	12-VOLT LIQUID SPRAY SYSTEM 55 GALLON POLY RESERVOIR - FITS DUMP & FLATBED TRUCKS	\$1481.94	\$1139.95
Z102295	12-VOLT LIQUID SPRAY SYSTEM, TWO 55 GALLON POLY RESEVOIRS	\$2209.94	\$1699.95
Z102294	12-VOLT LIQUID SPRAY SYSTEM, 105 GALLON RESERVOIR	\$2209.94	\$1699.95
Z102293	12-VOLT LIQUID SPRAY SYSTEM, TWO 105 GALLON POLY RESERVOIR	\$2989.94	\$2299.95

**Pre-Wetting
Systems Available!
See Page 10.**

Trade names Meyer, Western, etc. used in this catalog are for reference purposes only. Angelo's Supplies, Inc. does not imply that the products listed are produced by these manufacturers. Prices subject to change without notice. All sales are final on electrical items. All authorized returns are subject to a 15% restocking fee. All special order items must be prepaid and sales are final; no returns or exchanges will be permitted.

www.angelos-supplies.com
"When It Snows, It's Angelo's"

7, 8 & 9 Yard Capacity Stainless Steel V-Box Spreader

**7, 8 & 9 YD.
CAPACITY**

Heavy duty municipal & commercial applications. Self contained hopper. Spreads free flowing materials, sand and/or salt. Spread width of 4 ft. to 30 ft.

- * **Material hopper** - 7 gauge 304 stainless steel cross members, 10 gauge 304 stainless steel, long sills with rear enclosure and integral chain shields. 10 gauge 304 stainless steel replaceable floor. 1-gauge 304 stainless steel sides with continuously welded seams, gussets and rear panel. 10 gauge 304 stainless steel front panel, four 5/8" thick lift points.
- * **Feedgate** - 10 gauge 304 stainless steel with scales screw jack adjustment. 18 5/8" width by 10" T opening.
- * **Conveyor** - 24" wide pintle chain conveyor with 3/8" thick x 1 1/2" wide crossbars on 4 1/2" centers. 2" diameter drive shaft with 4 bolt greaseable bearing. 8 tooth cast iron sprockets. 50:1 or 25:1 direct drive gearbox with extended through-shaft for ground speed sensor. 1 1/2" diameter idler shaft with 4" adjustable range greaseable bearing. Conveyor chain wiper made of belted rubber minimizes waste.
- * **Chute/Spinner Assembly** - 10 gauge 304 stainless steel laser cut parts with smooth radius corners. Telescopic adjustment in 3" increments to accommodate varying body mounting heights. Two adjustable, internal baffles direct material to 20" diameter x 5/8" thick, 6 fin poly spinner disk.
- * **Power Source** - hydraulic drive: two independent direct drive hydraulic motors (17 gpm @ 1500 psi). Hopper length, 120"; Overall length, 143"; width, 82". Recommended use, dump bodies, flat beds with a minimum 26,000 lbs. GVW chassis.



LARGE STAINLESS STEEL V-BOX SPREADERS			
PART NUMBER	DESCRIPTION	MSRP	SALE PRICE
Z102326	7.0 CU. YD. HYDRAULIC SPREADER 25:1 GEAR RATIO	\$12733.50	\$9795.00
Z102325	7.0 CU. YD. HYDRAULIC SPREADER 50:1 GEAR RATIO	\$12733.50	\$9795.00
Z102328	8.3 CU. YD. HYDRAULIC SPREADER 25:1 GEAR RATIO	\$13513.50	\$10395.00
Z102327	8.3 CU. YD. HYDRAULIC SPREADER 50:1 GEAR RATIO	\$13513.50	\$10395.00
Z102330	9.6 CU. YD. HYDRAULIC SPREADER 25:1 GEAR RATIO	\$14163.50	\$10895.00
Z102329	9.6 CU. YD. HYDRAULIC SPREADER 50:1 GEAR RATIO	\$14163.50	\$10895.00
OPTIONAL EQUIPMENT			
Z100638	12 VOLT LIQUID SPRAY SYSTEM	\$1481.95	\$1139.95
Z100415	TAILGATE LATCH KIT, FOR DUMP TRUCKS	\$168.94	\$129.95
Z100639	DOT LIGHT BAR 66" (LIGHTS & WIRE NOT INCLUDED)	\$250.84	\$192.95
Z102290	DOT LIGHT BAR 44" (LIGHTS & WIRE NOT INCLUDED)	\$207.94	\$159.95
Z100338	VIBRATOR KIT, 80 LB.	\$181.94	\$139.95
Z100412	VIBRATOR KIT, 200 LB.	\$194.94	\$149.95
Z102258	VIBRATOR KIT, 400 LB.	\$415.94	\$319.95
Z100084	UTILITY LIGHT	\$9.04	\$6.95
	12 OR MORE	\$7.09	\$5.45
Z102310	UTILITY LIGHT KIT - INCLUDES (2) UTILITY LIGHTS, (1) PIGTAIL ASSY, (1) FUSE HOLDER, (1) FUSE, (35) FT OF WIRE & (1) HARDWARE BAG	\$90.94	\$69.95
Z102308	LED THIRD BRAKE LIGHT	\$33.74	\$25.95
Z102252	LIGHT BAR WIRE HARNESS, 12 FT LEAD	\$107.19	\$82.45
Z100638	12-VOLT LIQUID SPRAY SYSTEM 55 GALLON POLY RESEVOIR - FITS DUMP & FLATBED TRUCKS	\$1481.94	\$1139.95
Z102295	12-VOLT LIQUID SPRAY SYSTEM, TWO 55 GALLON POLY RESEVOIRS	\$2209.94	\$1699.95
Z102294	12-VOLT LIQUID SPRAY SYSTEM, 105 GALLON RESERVOIR	\$2209.94	\$1699.95
Z102293	12-VOLT LIQUID SPRAY SYSTEM, TWO 105 GALLON POLY RESERVOIR	\$2989.94	\$2299.95

**Starting at
\$9,795.00**

To order call toll free
1-877-Angelo-2
1-877-264-3562

Salt Spreaders shipped FOB Wixom, M



**Pre-Wetting
Systems Available!
See Page 10.**

Trade names Meyer, Western, etc. used in this catalog are for reference purposes only. Angelo's Supplies, Inc. does not imply that the products listed are produced by these manufacturers. Prices subject to change without notice. All sales are final on electrical items. All authorized returns are subject to a 15% restocking fee. All special order items must be prepaid and sales are final; no returns or exchanges will be permitted.

Under Tailgate Stainless Steel or Painted Steel Spreaders



HYDRAULIC DRIVE - Heavy duty municipal & commercial applications. Direct drive operation reduces number of moving parts, assuring dependable service. Under tailgate mounting allows normal use of dump body without interference from spreader. Rugged 7 gauge trough has 3 point hinged bottom cover that provides easy, one person clean out. Spreads from 4 ft. to 40 ft. of rock salt, free flowing granular materials or chemicals. Auger is supported by 1-1/4" steel shaft ends and has right and left flighting to the discharge port delivering a continuous flow of spreading material. Sealed self aligning 1-1/4" diameter bearings, with grease fittings. Low speed, high torque orbital motors. Spreader assemblies come with material trough, auger assembly, spinner and auger motors, spinner assembly, polyurethane spinner and mounting plates. Hydraulic safety lockout system. Body side length 8 ft., Overall length 116", empty weight 405 lbs.

ELECTRIC DRIVE - Two ultra quiet 12-volt DC direct-drive motors power the auger and spinner, and are encased in a heavy duty poly housing. The wiring harness is constructed of 10 gauge automotive wire with non-combustible sheathing. In cab controls features independent controls for the auger and spinner. Undertailgate mounting allows normal use of dump body without interference from spreader. Rugged 7 gauge trough has 3 point hinged bottom cover that provides easy access to entire auger assembly for easy, one person cleanout. Spreads from 4' to 25' of rock salt, free flowing granular materials or chemicals. Auger is supported by 1-1/4" steel shaft ends and has right and left flighting to the discharge port delivering a continuous flow of spreading material. Sealed self aligning 1-1/4" diameter bearings, with grease fittings. Spreader assemblies come with material trough, auger assembly, spinner and auger motors, spinner assembly, 14" polyurethane spinner and mounting brackets.

Fax Orders: 248-442-8327

Phone Orders: 1.800.Angelo.2 (1.800.264.3562)

UNDER TAILGATE STAINLESS STEEL SPREADERS			
PART NUMBER	DESCRIPTION	MSRP	SALE PRICE
Z105982	UNDER TAILGATE 5:1 GEAR RATIO STEEL	\$2268.50	\$1745.00
Z102342	UNDER TAILGATE 5:1 GEAR RATIO STAINLESS STEEL	\$3243.50	\$2495.00
Z105980	UNDER TAILGATE ELECTRIC DRIVE STAINLESS STEEL	\$4413.50	\$3395.00
Z101622	UNDER TAILGATE DIRECT DRIVE SPREADER, STEEL	\$1943.50	\$1495.00
Z101625	UNDER TAILGATE DIRECT DRIVE SPREADER, STAINLESS STEEL	\$2918.50	\$2245.00
OPTIONAL EQUIPMENT			
Z100451	TAILGATE SIDE PLATES, STEEL, SET	\$83.79	\$64.45
Z102051	TAILGATE SIDE PLATES, STAINLESS STEEL, SET	\$168.94	\$129.95
Z100338	VIBRATOR KIT, 80 LB.	\$181.94	\$139.95
Z100412	VIBRATOR KIT, 200 LB.	\$194.94	\$149.95
Z100084	UTILITY LIGHT	\$9.04	\$6.95
	12 OR MORE	\$7.09	\$5.45
Z102310	UTILITY LIGHT KIT - INCLUDES (2) UTILITY LIGHTS, (1) PIGTAIL ASSY, (1) FUSE HOLDER, (1) FUSE, (35) FT OF WIRE & (1) HARDWARE BAG	\$90.94	\$69.95
Z102308	LED THIRD BRAKE LIGHT	\$33.74	\$25.95



**Starting at
\$1,745.00**

To order call toll free
1-877-Angelo-2
264-3562
Salt Spreaders shipped FOB Wixom, MI

Trade names Meyer, Western, etc. used in this catalog are for reference purposes only. Angelo's Supplies, Inc. does not imply that the products listed are produced by these manufacturers. Prices subject to change without notice. All sales are final on electrical items. All authorized returns are subject to a 15% restocking fee. All special order items must be prepaid and sales are final; no returns or exchanges will be permitted.

www.angelos-supplies.com

"When It Snows, It's Angelo's"